1984 – 1989 SALEEN MUSTANG RULES
CONCOURS TRAILERED / DRIVEN

1. INTERIOR **Points**

A. Seats: proper for year and model. 84–86 factory seats GT or LX, 87–89 Flofit. Lumbar (bladder) and pumper on 89 only **2**

B. Seat and Door Panel Insert Material: Proper for year and model. 84–86 factory OEM material, no door panel inserts added. 87–89 Saleen gray or tan material. Door panel inserts may or may not have "Saleen Mustang" on them. SSC and Pioneer gray, white and yellow leather **8**

C. Door Kick Plates and Trip Panels: Not proper **4**

D. Dash Covering and Face: 84–86 may have GT or LX faceplate. Pioneer cars Pioneer embroidered on passenger side of dash **3**

E. Wind Lace and Sun Visors: **2**

F. Carpet: Correct floor mats for year **9**

G. Headliner or Underside of Soft Top: **2**

H. Door Hardware: **2**

I. Windshield Trim, Inside Mirror, Top Latches, Visor Brackets and Roll Bar: Roll bar on SCC only **4**

J. Pedal Assembly and Dead Pedal on Foot Rest: (note: some 84–85 models did not come with dead pedals) **1**

K. Door Weather-Stripping, Stop Plates, Latching Mechanism: **2**

L. Saleen Tach and Speedometer: Black background. 170 mph speedometer, special Pioneer tach decal on Pioneer cars **2**

M. Saleen Serialization Console Plaque: Also requires Saleen dash emblem **1**

N. Shift Knob: leather with "Saleen Mustang" logo (gold or silver). 86 and 89 leather with shift pattern (no Saleen logo) **1**

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

O. Steering Column: Proper steering wheel and shock control. 84–85 4-spoke Wolf wheel with "Saleen Mustang" logo on horn button (gold or silver). 86–89 Momo 3 spoke wheel (gray leather on SSC) with Ford oval on horn button, cruise control standard on SSC, cruise control optional on 89 standard cars. SSC requires adjustment switch mounted on console for adjustable shocks **2**

P. Radio and Radar Detector: Proper for year and model
Radio:
84 Sanyo Dolby NR2 cassette or OEM
85 Sanyo Dolby NR2 cassette, Kenwood KRC 6000 cassette or OEM
86 Kenwood KRC 6000 cassette or OEM
87 Kenwood KRC 5001 with KGC 6040 equalizer or OEM
88 Pioneer KEH 6050 with BO-880 equalizer or OEM
89 standard model – Pioneer KEH 8050 with BP-880 equalizer or OEM
SSC – DEH-55 CD Player with EQ-400 equalizer and 6 speakers rear enclosure
Pioneer – special Pioneer 21 speaker system with CD player in rear enclosure area.
Radar Detector:
84–87 Escort with black case
88–89 no radar detector
..... **6**

Q. Alarm System Controls: 84–85 Cal custom control mounted beside shifter on console. 86–89 deduct if not OEM factory Ford **1**

R. SCCA Championship Wreath Decal on Rear Window: Not on 84–89 ..... **1**

S. Point Deductions for any other items not proper or original **5**

1.1 INTERIOR - QUALITY OF WORKMANSHIP, CONDITION AND CLEANLINESS **Points**

A. Interior Door and Kick Panel Assembly: **10**

B. Door Opening Area: **5**

C. Seats: **10**

D. Carpets: Floor mats and firewall **14**

E. Dash: Assembly and pad **12**

F. Headliner and Underside of Top: **3**

G. Saleen Console: Plaque **2**

H. Shift Knob: **2**

I. Steering Wheel and Column: **5**

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

J. Radio and Sound Equipment: **3**

K. Saleen Tach and Speedometer: **4**

L. Other Than Above Items: **5**

2. EXTERIOR **Points**

A. Soft Top: Correct color and material for year **5**

B. Headlamps: Proper for year and model.
84–86 4 headlamps Sylvania, must match. Proper headlight covers required (clear only).
84 Velcro mounted covers
85 Velcro or GTS style covers
86 GTS style covers
87–89 2 headlamps must match with Ford Script
..... **4**

C. Stripe Kit and Windshield Decal: Proper for year and model. If side graphics or windshield decal deleted, decals must be in trunk. **NO EXCEPTIONS** **4**

D. Wing and Ground Effects: Proper for year and model. 84–85 wing, side skirts, front spoiler and rear side spats required. 86–89 wing, side skirts front spoiler and rear valance required **4**

E. Emblems on Deck Lid: Proper for year and model. 84–88 “Saleen” emblem above stock Mustang emblem (84–early 85 black, 86–88 chrome) stock Mustang emblem and Ford oval. 89 Ford oval **1**

F. Parking, Tail, Back-Up, Running and Tag Lights: Proper for year and model **3**

G. Third Brake Light: Proper for year and model.
84–85 no brake light
86 after market light mounted under wing
87–89 Hatchback OEM light mounted in rear wing
87–89 coupe or Conv. OEM light mounted under wing
..... **1**

H. Bumper Covers: Proper for year and model. OEM factory Ford **5**

I. Molding and Trim: Proper color and style for year and model.
84–86 Rear quarter window panels painted body color on all models other than black or gray cars
87–89 front bumper filler strip required
87 grained, no groove
88–89 grooved
..... **6**

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

J. Windshield, Door, Quarter and Back Glass: Must be Carlite brand **4**

K. MCA Window Decal: Required **1**

L. Antenna: Proper for year and model. OEM Ford or Saleen style (84–86 fiberglass) **2**

M. Decals Required: Proper for year and model.
84–86 bumper number, quarter window decals, Racecraft decals, seat belt decals on door glass and 302 on hood (86 only)
87–88 bumper number, quarter window decals, Racecraft decals, seat belt decals on door glass, 302 on hood
89 bumper number (preceded by a "P" on Pioneer cars), Racecraft decals on standard models, seat belt decal on door glass, "Saleen Mustang" decal on deck lid on standard models, 302 on hood, blue Pioneer on quarter glass of Pioneer cars
..... **8**

N. Tire Pressure Decal: **1**

O. Point Deductions for any other items not proper or original **5**

2.1 EXTERIOR - QUALITY OF WORKMANSHIP, CONDITION AND CLEANLINESS **Points**

A. Body Workmanship and Fit: **25**

B. Paint and Finish On Body: (Maximum 3 point deduction for no orange peel) **30**

C. Molding, Trim, Stripes and Decals: **15**

D. Glass: **11**

E. Third Brake Light: **2**

F. Emblems: **4**

G. Other Than Above Items: **6**

3. TRUNK COMPARTMENT **Points**

A. Trunk Mat: Coupe and convertible, carpet hatchback **5**

B. Spare Tire: Proper for year and model **3**

C. Jack, Lug Wrench and Hold down: Proper for year and model.
84–85 Saleen chrome 4 way folding lug wrench
87–89 Saleen lug wrench adapter socket (chrome 1 3/16")
..... **6**

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

D. Painted Surfaces in Trunk: Should match exterior color **3**

E. Trunk Or Hatchback Weather-Strips, Jack Instructions and Trunk Catch: Proper for year and body style **4**

F. Spare Tire Cover Boards: Proper for year and body style. Convertible models – boot and storage bag. Sunroof and T-Top model – storage bags for glass panels **4**

G. Point Deductions for any other items not proper or original **5**

3.1 TRUNK COMPARTMENT QUALITY OF WORKMANSHIP, CONDITION AND CLEANLINESS **Points**

A. Spare Tire and Jack Assembly: **3**

B. Paint and Weather-Stripping: **7**

C. Mats, Cardboard, Boot and Storage Bags: (convertible models) **8**

D. Other Than Above Items: **5**

4. ENGINE COMPARTMENT **Points**

A. Battery Carrier and Hold Down: not appropriate **1**

B. Battery: Proper group and size. SSC – Champion, Pioneer, SC, SA-10 Motorcraft or Champion. All others – Motorcraft **5**

C. Battery Cables and Starter Cables: Motorcraft solenoid cable must be red, others black **3**

D. Starter Solenoid: Motorcraft. 86–89 must have black plastic cover **3**

E. Alternator: Motorcraft pulley and fan cadmium or natural. Black pioneer larger chrome unit **3**

F. Voltage Regulator: Motorcraft electric **2**

G. Distributor and Cap: Motorcraft. Cap gray with cover boot **2**

H. Spark Plug Wires and Attaching Parts: Standard model and Pioneer, Motorcraft gray, SCC Champion – red **3**

I. Coil: Motorcraft **2**

J. Fender Bolts: Must be of original style and body color **1**

K. Oil Filter: Motorcraft. White FL-1A filter with standard label or painted engine block color **1**

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

L. Fuel Lines and Attaching Parts: Proper for year and model **1**

M. Carburetor: 84–85 Proper Holly 4-barrel for year
Fuel Injection: 85 (automatic transmission models) throttle body fuel injection. 86–89 standard models and Pioneer – proper stock plenum for year and stock cover plate (Pioneer may have stock or SSC cover plate). SSC – reworked stock plenum with SSC cover plate and 65mm throttle body. SC (standard), SA-10 (optional)-Saleen upper and lower intake **4**

N. Air Cleaner: 84–85 black air cleaner with chrome lid (not OEM alum. Cover). 86–89 standard models, stock air cleaner with baffle in place. Pioneer, K&N or stock **4**

O. Radiator: 84–89 standard models and Pioneer stock with Ford oval script imprinted, SSC and SC (standard), SA-10 (optional) 3 core non-Ford model **4**

P. Radiator Hoses and Clamps: 84–89 Motorcraft hoses with correct Motorcraft stamping, wire clamps with staples **4**

Q. Radiator Cap: Motorcraft: Proper lbs. and design **1**

R. Heater Hoses and Clamps: 84–89 Motorcraft striped hoses with pedestal type clamps **5**

S. Hood and Safety Latches: Natural color **1**

T. Belts: Motorcraft **3**

U. Master Cylinder: 84–86 stock, natural or aluminum. 87–89 SVO type, natural or aluminum . **1**

V. Under hood of Car: must be body color **1**

W. Hood Pad and Clips: 84–89 standard, SSC and Pioneer cars. Hood pad required **2**

X. Hood Hinges: Should be body color **1**

Y. Decals Required: 84–85 Saleen air cleaner decal, Motorcraft parts decal, duraspark distributor firing order decal (carbureted models only), coolant caution decal Climatiseur air conditioning charge decal, drive belt routing decal, emissions decal, calibration code. 86 – 89 standard cars and Pioneer car-Saleen serialization engine bay plaque (must match VIN #), Motorcraft parts decal (exception on supercharged cars), coolant caution decal, Climatiseur air conditioning charge decal, drive belt routing decal, emissions decal, and calibration code. SSC, SC, SA-10 same as 86–89 standard cars, but has a special Saleen replacement emissions decal and Motorcraft parts decal may be deleted on KandN cone type air filter cars **7**

Z. Smog Pump and Attaching Parts: Original **8**

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

AA. Proper Engine Color: Gray..... **1**

BB. Exhaust Manifolds: 84 cast iron with heat riser tubes. 85 OEM tubular style with heat riser tubes. 86–89 standard and Pioneer cars OEM tubular style, SAC Motorsport 1 5/8" big tube headers. SC, SA-10 Saleen 1 5/8" big tube headers **2**

CC. Natural Engine Components: must be natural color (natural spry paint acceptable)..... **2**

DD. No Under drive Pulley Acceptable: **2**

EE. Upper Strut Mount: "Onion Head" SVO type (black only) **3**

FF. Strut Tower Brace: 84–86 no brace allowed. 87–89 standard cars brace required, black only. SAC and Pioneer brace required, white only. Pioneer has blue Pioneer decal on brace..... **3**

GG. Alarm System: 84–85 Cal Custom. Pioneer special alarm system installed. 86–89 deduct if not OEM factory Ford **3**

HH. Point Deductions for any other items not proper or original **5**

4.1 ENGINE COMPARTMENT - QUALITY OF WORKMANSHIP, CONDITION AND CLEANLINESS **Points**

A. Engine With Attached Parts: Minor rust OK..... **10**

B. Engine Electrical System and Wiring: **4**

C. Fuel System: (carb, fuel pump, lines, fuel injection system, throttle body)..... **4**

D. Other Items Attached to Engine: (PS, AC, smog pump, supercharger)..... **4**

E. Engine Compartment Walls:..... **5**

F. All Non-Electrical Parts: Attached to walls..... **2**

G. Cooling System:..... **6**

H. Other than above items: **5**

5. UNDERCARRIAGE **Points**

A. Floor Pan and Under Fender:

Non-Undercoated: Floor pan and tunnel gray primer with some over spray, rear wheel housing blackened with some overspray.

Undercoated: Everything must be covered except driveshaft, rear-end housing, exhaust and springs

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

..... **20**

B. Fuel Lines and Brake Lines: Should be as original **1**

C. Gas Tank: Should be as original. Requires black plastic shield **1**

D. Transmission: Correct for year and model **2**

E. Front Suspension - Stock Undercarriage: Suspension to be natural, tie rod ends, steering rack, red coil springs, sway bar natural or black **10**

F. Drive Shaft and U-Joints: Natural **1**

G. Transmission Brace: Natural or black **1**

H. Rear-End Housing: 7.5: rear end natural color. Red coil springs, natural color rear sway bar. 86 8.8" rear axle natural color. Red coil springs, natural color rear sway bar. 87–89 rear axle natural color. Red coil springs, black rear sway bar **4**

I. Shock Absorbers: 84–85 yellow Bilstien, black Motorcraft quad shocks. 86–87 red Koni shocks and quad shocks. 88–89 black Monroe Formula GP shocks and quad shocks. SSC black electronic cockpit adjustable Monroe Formula GA shocks, front and rear, Monroe Formula GP quad shocks **6**

J. Wheels: Proper for year and model.
84 –15x7 Hayashi (mesh)
85 –15x7 Hayashi (mesh) and 16x7 Riken (mesh) optional
86 –16x7 Riken, Enki, or American (mesh)
87 –16x7 front 16x8 rear, American (mesh)
88–89 –16x7 front, 16x8 rear American (mesh or 5 spoke)
SSC, Pioneer – 16x8 front and rear, DP5 (5 spoke) white
Note: Some SSC were delivered with stock Saleen American 5 spoke wheels painted white
..... **4**

K. Tires: Proper size for year and model
84 – Goodyear P215/60x15 or optional P225/50x16
86–89 – standard cars – General xP2000V – P225/50 VR16
SSC and pioneer – General XP2000Z – P225/50 ZR16 front P245/50 ZR16 rear
..... **4**

L. Exhaust System: Proper for year and model. Must have converters. Factory stock with factory finish, no painted exhaust. SSC – Walker Dynomax mufflers with flared stainless steel tips **10**

M. Cross Member: 84–early 85 round bar, red. 85–86 square tubing, red. G Load Brace: 87–89 black. SSC and Pioneer white **2**

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

N. Sub frame connectors: Deduct if sub frame connectors installed..... **2**

O. Brakes: 84–86 factory stock disk front/drum rear. 87–89 11" front disk, 11.25 rear disc **4**

P. Wheel Center Caps: Proper for year and model.
84–87 caps with "Saleen Mustang" logo (gold or silver)
88 "Saleen Mustang" logo on caps (gold or silver), long cap on American mesh, short cap on American 5 spoke
89 "S" logo on caps (gold or silver), long caps on American mesh, short cap on American 5 spoke.
DP cap on DP5 wheels
..... **8**

Q. Decals Required: Outer tie rod ends, right and left **2**

R. Point Deductions for any other items not proper or original **5**

5.1 UNDERCARRIAGE - QUALITY OF WORKMANSHIP, CONDITION AND CLEANLINESS

Points

A. Front and Rear Suspension: **7**

B. Drive Train: drive shaft, transmission and rear-end..... **6**

C. Wheels: Tires, lugs and center caps with logo..... **6**

D. Underside of Fenders: **4**

E. Underside of Floor Pan:..... **7**

F. Gas Tank:..... **2**

G. Brakes: Front and rear **5**

H. Tailpipes, Mufflers, and Exhaust Tips: Must be correct finish **6**

I. Other than above items:..... **6**

All content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.