1. INTERIOR

Points

a. Seat Style, Grain, Seat Belts, and Shoulder Harnesses: Correct seats and style for year, see VC label. 4-way power seat adjustment, Std on all models except on base V6 05-07 it was Optional. Was not available on 08-12 V6 base model.
08 – 09 Bullitt Black Leather Standard

07 – 09 GT/CS Black Leather with Parchment or Dove Inserts

11 – 12 GT/CS Black Leather with Carbon inserts

12 -- Boss 302 Charcoal Black cloth with grey logo

GT & leather, 4-way seats and power lumbar. Belts correct for year and model.

3-point lap & shoulder type.

..... 4
Quality of workmanship, condition and cleanliness 10

b. Door Area:
Door Weather-strip, Step Plates: Original style and finish in original location.

08 – 09 Bullitt Aluminum Step Plates

12 – Boss 302 Aluminum "Powered By Ford" Step Plates

Door Hardware: Includes latching mechanisms and hinges. Original style mounted in original location. Power locks, side window controls.

All models 11 – 12 GT/CS Carbon Door Panel Inserts

Painted Surfaces, Door Edges and Jambs: Includes door ends and bottom.

Painted same as exterior. 8

Quality of workmanship, condition and cleanliness. 10

c. Kick Plates and Trim Panels: Correct color and style for interior. 2
Quality of workmanship, condition and cleanliness 2

Decals:
05 - Tire pressure decal is on driver side door post.
05 - MFD. BY FORD MOTOR CO. decal on passenger side door post,
12 -- Boss 302 Tire Information/Summer Tire Warning on driver side door post, ... 1

d. Sun Visors: Correct grain and style.

Vanity mirrors with covers. 2

Quality of workmanship, condition and cleanliness. 1

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

e. Headliner or Underside of Soft Top: Headliner, correct texture.

Convertible must have headliner. 2

Quality of workmanship, condition and cleanliness. 5

f. Carpet: Original molded type correct color for interior.

07 – 08 GT/CS “California Special” Front Mats

09 - GT/CS Chrome "MUSTANG" Front Mats

11 – 12 GT/CS “GT/CS” Front Mats

11 MCA Edition Embroidered Pony logo Front Mats

12 MCA Edition "Mustang Club of America" Front Mats

..... 5

Quality of workmanship, condition and cleanliness. 6

g. Windshield Trim, Inside Mirror, Top Latches and Visor Brackets: Original style and finish. Mounted in original location. 4

Quality of workmanship, condition and cleanliness. 2

h. Dash Pad Covering and Face Plates: Original grain and style. Correct color for interior.

08 – 09 Bullitt Satin Aluminum air vents and gauge bezels 3

i. Dash Hardware, Steering Column and Wheel Assembly: Correct style and finish

Proper airbag steering wheel, leather wrap on 05 GT.

12 volt auxiliary power outlet

08 – 09 Bullitt Aluminum swirl dash panel appliqué

11 – 12 GT/CS Carbon Dash panel appliqué

12 – Boss 302 Suede-wrapped steering wheel and dark aluminum (carbon fiber like) dash panel applique 4

j. Radio and Speakers:

05-12 AM/FM/CD N/A on Premium models

05-12 500 system avail on all except 08 Deluxe V6 Std. on Bullitt, GT/CS, & MCA Edition

05-09 1000 system avail on all except Deluxe V6 and 06 std V6

07-12 Sirius avail on all

08-12 Nav system N/A on deluxe models 2

Quality of workmanship, condition and cleanliness of above 3 categories. 10

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

k. **Under Dash Area, Pedal Assembly, Firewall Cover, Shifter and Console:**

Original style and finish mounted in original location.

08 – 09 Bullitt Aluminum Pedal Covers & Shifter Ball

12 – Boss 302 Black cue-ball style shift knob 6

Quality of workmanship, condition and cleanliness. 4

l. **Package Tray and Quarter Panels:** Correct color and style for interior. Fold down seat option matching carpeted backs. 5

Quality of workmanship, condition and cleanliness. 6

Point Deductions for any other items not proper or original. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

2. EXTERIOR

Points

a. Body Workmanship and Fit: Smoothness of body panels, alignment of hood, trunk, doors to body, attachment and alignment of trim parts to body.

Paint Workmanship, Condition and Cleanliness: Match and consistency of color on body panels. Must have orange peel (up to 3 point deduction for no orange peel). 50

b. Stripes and Decals: Must be original type material for year and model of car, placed in proper location. Must be proper color.

07 – 12 GT/CS "California Special" style body side racing stripes

11 – 12 MCA Edition hockey stick side tape stripes with "MUSTANG" in front quarter panel (and "Club of America" underneath on 2012)

12 – Hood stripe and "C" side stripes. (All stripes and roof same color – white or black) 3

Quality of workmanship, condition and cleanliness. 2

c. Convertible Top: Proper material and color for year. 4

Quality of workmanship, condition and cleanliness. 5

d. Grille, Corral and Grille Opening Trim: Black egg-crate grille with running horse.

08 – 09 Bullitt Black mesh grill devoid of chrome pony and accented with satin Aluminum strip

11 – 12 GT/CS Chrome Billet Grille with Body Color Surround and Tri-Bar Pony badge

11 – 12 MCA Edition Dark Stainless Steel billet grille with a Tri-Bar Pony badge

12 – Boss 302 Black with Tri-Bar Pony badge 3

Quality of workmanship, condition and cleanliness. 3

e. Headlamps: Matching manufacturer, legal lenses. 4

f. Fog Lamps: Original type, mounted in original location.

05-12 – GT – Fog lamps in grill.

11 - 12 GT/CS lower fascia with Fog lamps

11 – 12 MCA Edition front lower-mounted fog lamps

12 - Boss 302 Blocked off openings 2

g. Parking, Tail, Back-Up, Running and Tag Lights:

Original design for year. 6

Quality of workmanship, condition and cleanliness of above 3 categories. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

h. Bumper Covers: Proper style and finish for year. Mounted in original position.

07 – 09 GT/CS front fascia with an integrated chin spoiler, rear fascia styled with a lower air-diffuser

11 – 12 GT / CS rear fascia styled with a lower air-diffuser

12 - Boss 302 Modified front fascia with black lower chin splitter.Rear Fascia – black lower diffuser. 5

Quality of workmanship, condition and cleanliness. 4

i. Other Trim and Molding: Including outside mirrors Black ext mirrors std: (05-09 GT/05-12 V6). Black & Body Color: (10-12 GT & V6 w/i Pony Pkg) and wiper arms/blades (all black). Proper style and finish for year, mounted in original location..

08 – 09 Bullitt "Bullitt" Emblem on Faux Fuel Cap, No spoiler

07 – 09 GT/CS Name on Faux Fuel Cap, Side Scoops

11 – 12 GT/CS Name on Faux Fuel Cap, Pedestal Spoiler, Side Scoops, Blackout Deck lid Tape Appliqué

11 – 12 MCA Edition Rear Deck lid Spoiler, Blackout Deck lid Tape Appliqué

12 - Boss 302 "Boss 302" Applique on side "C" stripe. Black rear spoiler and decklid 5

j. Antenna: 05-09 Black with oval base swirled stem mounted on right front fender

10-12 Black w/i round base, smooth stem, mounted on right rear quarter 2

Quality of workmanship, condition and cleanliness of above 2 categories. 6

k. Windshield and Other Glass: Must be Carlite or Ford glass - script or block.

Must be Carlite or Ford glass - script or block. Convertible rear window, glass. 4

Quality of workmanship, condition and cleanliness. 4

Point Deductions for any other items not proper or original. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

3. TRUNK

Points

a. Mat, Trunk Covering and Tire Cover Board:

Mat and covering required for coupes and convertibles.

Engine start decal must be in place. Proper masonite board for year and model.

Escape handle. 5

Quality of workmanship, condition and cleanliness. 3

b. Convertible Boot and Storage Bag: Proper type for year and model. 2

Quality of workmanship, condition and cleanliness. 2

c. Wiring: Proper type for year and model. Routed in original position, from behind right hinge, along trunk lid towards center of trunk lid. 2

Quality of workmanship, condition and cleanliness. 2

d. Painted Surfaces in Trunk: Must match exterior color. 3

Quality of workmanship, condition and cleanliness. 2

e. Hinges and Lift Supports: Proper type for year and model.

Quality of workmanship, condition and cleanliness. 2

f. Trunk Weather-strip, and Trunk Latch: Original style, mounted in original location. 2

Point Deductions for any other items not proper or original. 2

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

4. ENGINE COMPARTMENT

Points

a. Battery Carrier and Hold-down: With appropriate attaching parts. Proper for year and model. 3

Quality of workmanship, condition and cleanliness. 1

b. Battery: Motorcraft. Proper group size for year and model.

BXT40R or BXT96R all years and engines

All other brands - mandatory 6 point deduction. 6

Quality of workmanship, condition and cleanliness 1

c. Starter Solenoid (and cover where applicable) or Starter Module:

05 - Electronic starter module. 3

Quality of workmanship, condition and cleanliness. 1

d. Battery Cables and Starter Cable: Motorcraft. Routed in original position.

Positive Cable: Red. With Red boot over terminal.

Starter and Ground Cable: Black. 3

Quality of workmanship, condition and cleanliness. 2

e. Alternator and Starter: Motorcraft.

Alternator: Natural cast aluminum finish.

Alternator Fan: No visible alternator fan.

Alternator Pulley: Black

Starter: Semi-gloss black or natural. 2

Quality of workmanship, condition and cleanliness. 2

f. .Air Intake and Attaching Parts: Proper type for model and year. Proper Mass Air Flow Sensor.

08 – 09 Bullitt Ford Racing Power Pack (cold air induction system) 5

Quality of workmanship, condition and cleanliness. 2

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

g. Engine Components to be Painted:

Semi-Gloss Black Components:

Oil pan, oil dipstick tube.

Semi-Gloss Black or Natural Components:

Engine mount brackets. 6

Quality of workmanship, condition and cleanliness. 6

h. Engine Components to be Natural: Engine block, heads, thermostat housing, crankshaft pulley, bell housing, water pump and timing chain cover. Minor surface rust OK on natural parts.

Valve Covers:

GT: 05-10 Natural/11 Grey/12 Ford Blue. (11 & 12 Have "Powered by Ford")

V6: Black (All).

12 – Boss 302 Grey 3 "wide strut tower brace 5

Quality of workmanship, condition and cleanliness. 5

i. Plenum and Intake Manifold: Proper type for year and engine.

12 – Boss 302 Black plastic with silver stripes.

Production Number Plate includes Vin #.. 5

Quality of workmanship, condition, and cleanliness. 2

j. Coil: Motorcraft,

05- 10 V6 Coil Pack

2011, 2012 V6 and 05 12 V8, coil on plug system. 3

Quality of workmanship, condition and cleanliness. 1

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

k. Spark Plug Wires:

05- 10 V6 spark plug wires Motorcraft marked 1-6

2011,2012 V6 and 05- 12 V8 wires to coil on plug with shiny plastic electrical tape.....3

Quality of workmanship, condition and cleanliness.....2

l. Exhaust Manifolds and Heat Shields:

05 natural cast iron appearance (paint acceptable).....3

Quality of workmanship, condition and cleanliness.....2

m. Fuel Lines and Attaching Parts:

Rigid Lines: Original configuration and finish in original location with proper attaching parts.

Flex Lines: Black with original factory markings.

Clamps: Spring style.....4

Quality of workmanship, condition and cleanliness.....2

n. Fuel Injection: Original style injectors for year and engine in original location. Proper throttle and fuel rails.....8

Quality of workmanship, condition and cleanliness.....4

o. Oil Filter: Motorcraft or engine block color.....2

Quality of workmanship, condition and cleanliness.....1

p. Air Conditioning and Attaching Parts:

Semi-Gloss Black Components: Condenser and dryer.

Natural Components: A/C compressor and attaching parts.....4

Quality of workmanship, condition and cleanliness.....2

q. Power Steering:

Semi-Gloss Black Components: Pump pulley. Pump filler cap with yellow lettering.

Natural Components: Pump and mounting bracket (may be black)......3

Quality of workmanship, condition and cleanliness.....2

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

r. Emission System: Proper system for year and model, with components mounted in the original location. 8

Quality of workmanship, condition and cleanliness. 4

s. Fender Bolts: Original style painted body color. 2

Quality of workmanship, condition and cleanliness. 2

t. Windshield Washer System, Mounting Brackets, Hoses and Pump: Original type and finish mounted in original location. 2

Quality of workmanship, condition and cleanliness. 2

u. Firewall and Inner Fender Panels: Painted body color.

08 – 09 Bullitt Ford Racing Strut Tower Brace. 2

Quality of workmanship, condition and cleanliness. 3

v. Underside of Hood, Pad and Clips: Underside of hood - same color as exterior.

Hood pad and clips as original. 2

Quality of workmanship, condition and cleanliness. 2

w. Hood Release, Latch and Support Rod:

Release and Latch: Original style, black.

Support Rod: Painted body color or black. 2

Quality of workmanship, condition and cleanliness. 1

x. Hood Hinges: Original style. Body color. 2

Quality of workmanship, condition and cleanliness. 2

y. Decals:

05 - 12 emission control information decal on underside of hood and A/C caution decal on radiator cover.

IF ENGINE FAILS TO START decal on radiator cover

08 – 09 Bullitt Serialization Label on Strut Tower Brace 3

Quality of workmanship, condition and cleanliness. 2

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

z. Voltage Regulator and Electronic Modules: Motorcraft electronic regulator. Proper for year and model. 3

Quality of workmanship, condition and cleanliness. 2

aa. Wiring: Proper gauge and color code, mounted in original location with proper attaching clips. Black plastic wrapping or covering as original. 3

Quality of workmanship, condition and cleanliness. 2

bb. Master Cylinder, Power Brake Unit and Rigid Brake Lines:

Master Cylinder: Aluminum with plastic reservoir.

Cap: Black plastic.

Power Brake Booster: Semi-gloss black finish.

Rigid Brake Lines: Natural steel finish. 3

Quality of workmanship, condition and cleanliness. 3

cc. Radiator, Fan Shroud, Hoses and Clamps:

Radiator: Ford type with correct attaching parts.

Fan Shroud: Correct with correct attaching parts.

Hoses: Ford hoses with correct stamping or plain.

Clamps: Squeeze type only,. 6

Quality of workmanship, condition and cleanliness. 4

dd. Radiator Overflow Reservoir and Cap: Motorcraft. Proper lbs. cap. 1

Quality of workmanship, condition and cleanliness. 1

ee. Heater Hoses and Clamps:

Hoses: Motorcraft.

Clamps: Worm and squeeze type. 3

Quality of workmanship, condition and cleanliness. 2

ff. Belts: Motorcraft. 3

Quality of workmanship, condition and cleanliness. 1

gg. Security System: Ford type, proper for year and model. 2

Quality of workmanship, condition and cleanliness. 1

hh. Under Drive Pulleys: Not allowed. 2

Point Deductions for any other items not proper or original. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

5. UNDERCARRIAGE

Points

a. Undercarriage:

Undercoating: No undercoating allowed in Trailered Class.

Undercoated Cars: Everything must be covered except drive shaft, transmission, rear-ends housing, exhaust pipes, mufflers, springs and plates. Gas tank must be fully undercoated or have overspray around leading front edge and two sides. Must show some evidence of overspray.

Or

Non-Undercoated Cars: Floor pans and tunnel - body color or natural with clear coat. 20

Workmanship, condition and cleanliness of undercoating. (Workmanship of undercoating must be poor quality or excessive to deduct points).

Workmanship, condition and cleanliness of underside of floor pans. 15

b. Wheel Wells:

Rear Wheel Housing: Blacked out or gray with some body color overspray acceptable.

Front Wheel Housing: Black plastic liner. 5

Quality of workmanship, condition and cleanliness. 8

c. Rigid Fuel and Brake Lines: Natural steel finish. Routed in original location. 2

Quality of workmanship, condition and cleanliness. 1

d. Flexible Fuel and Brake Lines: Black rubber. Original Ford factory markings.

Mounted in proper location. 1

Quality of workmanship, condition and cleanliness. 1

e. Gas Tank: Must be original type and finish. Black plastic shield must be in place. 2

Quality of workmanship, condition and cleanliness. 3

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

f. Suspension and Steering:

Front Natural Parts: Steering box, tie rod ends, sway bar end links and mounting brackets, spindles.

Front Semi-Gloss Black Parts: Coil springs, steering rack and sway bar.

Rear Natural Parts: Sway bar attaching parts.

Rear Semi-Gloss Black Parts: Rear sway bar, coil springs.

08 – 09 Bullitt Sport Tuned Suspension (shocks/springs/stabilizer bar)

12 – Boss 302 Adjustable front and rear shocks (5 settings) 10

Quality of workmanship, condition and cleanliness. 8

g. Front Brakes - Disc: Calipers and dust shields, natural finish.

Rear Brakes - Disc: Calipers and dust shields, natural finish. 6

Quality of workmanship, condition and cleanliness. 6

h. Transmission and Linkage: Exterior surface natural finish (cast aluminum or cast iron).

Linkage: Natural finish. 4

Quality of workmanship, condition and cleanliness. 3

i. Transmission Cross Brace Support: Semi-gloss black or natural finish. 2

Quality of workmanship, condition and cleanliness. 1

j. Driveshaft and U-Joints: Mounted properly. Original type. Natural steel and cast finish, some minor rust ok. 3

Quality of workmanship, condition and cleanliness. 1

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

k. Pinion Housing and Trailing Arms: Natural

Rear-End Housing: Semi-gloss black finish. 6

Quality of workmanship, condition and cleanliness. 2

l. Shock Absorbers:

All shocks black Motorcraft. Non-Ford - mandatory 4-point deduction.

08 – 09 Bullitt Sport Tuned Suspension (shocks) 4

Quality of workmanship, condition and cleanliness. 2

m. Wheels: Proper size and correct style for year and make.

2005 V6 16" GT 17" only

2006 – 2008 V6 16" GT 17,18"

08 – 09 Bullitt cast-aluminum 18 x 8 in. 5-spoke alloy w/Charcoal Satin Finish

07 – 09 GT/CS 18 x 8 in. 5-spoke, polished aluminum

09 - V6 16",17" GT 17",18"

10 - V6 17",18" GT 18",19"

11 - 12 - V6 17 18",19" GT 18", 19"

11–12 GT/CS 19 x8.5 in. Argent Painted/Machined-Aluminum 10-Spoke Wheels

11–12 MCA Edition 18 x 8 in. Sterling Grey Metallic Painted Aluminum 10-Spoke Wheels

12 – Boss 302 Black 19" painted 10-spoke aluminum 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012

n. Center Caps and Lug nuts: If visible. Correct style for year with proper center caps.

07 – 12 GT/CS, Bullitt, MCA Edition, Tri-Bar Pony Center Caps. 5

o. Tires: Proper make and size for year and model. See tire pressure decal.

05- V6 P215/65R16 GT P235/55ZR17

06 – 2008 Same as 2005 with option on GT of P235/50ZR18

07 – 12 GT/CS, Bullitt, MCA Edition, Tri-Bar Pony Center Caps

09 same as above with option on V6, P235/55WR17

07 – 09 GT/CS 235/50ZR-18 BSW high-performance

10 - same as above except delete 16", also with option on V6 add P235/50WR18

11 -12 Same as above with option on V6 P255/40R19

11 – 12 - GT/CS P245/45ZR19 A/S Pirelli P-Zero Nero

11 – 12 - MCA Edition 235/50WR-18 BSW A/S

12 – Boss 302 Pirelli P-Zero ZR19 (P255/40-Frt P285/35 Rear. 5

Quality of workmanship, condition and cleanliness of above 3 categories. 8

p. Exhaust System: Proper material and finish. Correctly mounted with proper attaching hardware. Catalytic converters must be present. Minor surface rust and discoloration on H-pipe ok. No painted pipes.

Muffler: Must be Ford or Ford replacement in original style and location.

Clamps and Hangers: No clamps, mandatory 2 point deduction for clamps. Proper hangers, natural steel and rubber finishes.

08 – 09 Bullitt Unique Bullitt H-pipe, 3 ½" Dual Exhaust Tips

07 – 09 GT/CS bright rolled exhaust tips

12 – Boss 302 Quad exhaust with two outlets in front of rear wheels 8

Quality of workmanship, condition and cleanliness. 8

q. Grommets, Attaching Nuts, Bolts and Washers: Original style and finish. 4

Quality of workmanship, condition and cleanliness. 2

Point Deductions for any other items not proper or original. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V04.01012012