1994 - 2004 MUSTANG CONCOURS TRAILERED / DRIVEN JUDGING RULES

1. INTERIOR — Points

a. Seat Style, Grain, Seat Belts, and Shoulder Harnesses: Correct seats and style for year, see VC label. 4-way power seat adjustment, all models. GT & Cobra with leather, 4-way seats and power lumbar. Belts correct for year and model. 3-point lap & shoulder type.

94 Pace Cars must have correct logo on seat.

95 Cobra R, saddle cloth seats.

00 Cobra R, Recaro racing seats.

03 Cobra 10th Annv., red leather inserts.

04 Cobra Mystichrome, mystichrome inserts.

95, and 00 Cobra R must have rear seat delete. 4

Quality of workmanship, condition and cleanliness 10

b. Door Area:
Door Weather-strip, Step Plates: Original style and finish in original location.
01 Bullitt aluminum "Bullitt" step plates.

Door Hardware: Includes latching mechanisms and hinges. Original style mounted in original location. Power locks, side window controls, V8 only.

95 & 00 Cobra R manual windows and door locks.

Painted Surfaces, Door Edges and Jambs: Includes door ends and bottom. Painted same as exterior. 8

Quality of workmanship, condition and cleanliness. 10

c. Kick Plates and Trim Panels: Correct color and style for interior. 2
Quality of workmanship, condition and cleanliness 2

Decals: Tire pressure decal,

- 02-04 inside gas cap cover.

Calibration decal,

94-98 on driver side door post,

99-04 may or may not have calibration decal on passenger side door post 1

d. Sun Visors: Correct grain and style.

94-00 Vanity mirrors with covers (convertible, Cobra and GT models - illuminated)

Cobra R does not have vanity mirrors. 2

Quality of workmanship, condition and cleanliness. 1

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V05.11132011

e. Headliner or Underside of Soft Top: Headliner, correct texture.

Convertible must have headliner. 2

Quality of workmanship, condition and cleanliness. 5

f. Carpet: Original molded type correct color for interior.

03 10th anniversary Cobra mat has “SVT 10th Annivesary” plate. 5

Quality of workmanship, condition and cleanliness. 6

g. Windshield Trim, Inside Mirror, Top Latches and Visor Brackets: Original style and finish. Mounted in original location. 4

Quality of workmanship, condition and cleanliness. 2

h. Dash Pad Covering and Face Plates: Original grain and style. Correct color for interior.

9-04 Cobra and Cobra R white faced gauges

01 Bullitt has black faced gauges 03-04 Mach 1 has black faced gauges 3

i. Dash Hardware, Steering Column and Wheel Assembly: Correct style and finish mounted in original location.

94-97 Clock pod on top of dash.

98-00 clock in radio display.

Proper airbag steering wheel, leather wrap on 94-00 GT & Cobra models. 94-04 Cobra steering wheel airbag cover must say “COBRA” 12 volt auxiliary power outlet, 94-04. 4

j. Radio and Speakers:

94-95 - Standard FORD radio or Pioneer with 12 disc changer in trunk.

96-00, Premium Sound system with cassette and CD player in dash.

94-00 optional Mach 460 sound system.

01-04 Mach 460 sound system standard.

94-04 have speakers at top front corners of doors.

94-99 Cobra Premium sound system standard, Mach 460 optional.

95 & 00 Cobra R models radio deleted.

03-04 Mach1, Mach 460 standard. 2

Quality of workmanship, condition and cleanliness of above 3 categories. 9

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V05.11132011

k. **Under Dash Area, Pedal Assembly, Firewall Cover, Shifter and Console:** Original style and finish mounted in original location. 02-04 V8 may have Bulitt-type pedals.

96-04, correct style dead pedal (foot rest).

01-04 Cobra, 00 Cobra R,

03-04 Mach1, 01 Bullitt , brushed aluminum pedals. 6

Quality of workmanship, condition and cleanliness. 4

l. **Package Tray and Quarter Panels:** Correct color and style for interior. Fold down seat option matching carpeted backs.

95 & 00 Cobra R rear seat deleted with soft cover. 5

Quality of workmanship, condition and cleanliness. 6

Point Deductions for any other items not proper or original. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V05.11132011

2. EXTERIOR

Points

a. **Body Workmanship and Fit:** Smoothness of body panels, alignment of hood, trunk, doors to body, attachment and alignment of trim parts to body.
Paint Workmanship, Condition and Cleanliness: Match and consistency of color on body panels. Must have orange peel (up to 3 point deduction for no orange peel). 50

b. **Stripes and Decals:** Must be original type material for year and model of car, placed in proper location. Must be proper color.
Additional decals for 94 Pace Car, if not installed must be displayed in trunk.
Cobra & Cobra R snake emblem on front fenders & SVT emblem on rear deck lid.
01 Bullitt, "Bullitt" badging on rear decklid.
03-04 Mach1, "Mach1" badging on decklid, hood, and side stripes. 3
Quality of workmanship, condition and cleanliness. 2

c. **Convertible Top:** Proper material and color for year.
95 Cobra may have optional hard top with stand.
03-04 Cobra, fabric top instead of vinyl. 4
Quality of workmanship, condition and cleanliness. 5

d. **Grille, Corral and Grille Opening Trim:** 94-98 - Running horse only.
99-04, Black egg-crate grille with running horse in corral.
94-04 Cobra, Cobra R, & Mach1 running horse only, no grille.
96 Cobra has running horse and may or may not have black egg-crate grill. 2
Quality of workmanship, condition and cleanliness. 2

e. **Headlamps:** Matching manufacturer, legal lenses. 4

f. **Fog Lamps:** Original type, mounted in original location.
95 GTS with fog lights deleted.
94-04 Cobra round fog lamps in lower front bumper cover. Cobra R & Bullitt, no fog lamps. 03-04 Mach1 rectangular-ish fog lamps in lower front bumper cover. 2

g. **Parking, Tail, Back-Up, Running and Tag Lights:**
Original design for year. 94-95 - Horizontal tri-bar tail lights,
96-up - Vertical tri-bar tail lights.
94-95 Cobra, LED stop lamps in spoiler. 6
Quality of workmanship, condition and cleanliness of above 3 categories. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

h. Bumper Covers: Proper style and finish for year. Mounted in original position.

96-98 & 01-04 Cobra, “COBRA” in rear fascia.

99 Cobra & 00 Cobra R “MUSTANG” in rear fascia. 5

Quality of workmanship, condition and cleanliness. 4

i. Other Trim and Molding: Including outside mirrors and wiper arms/blades (all black).

Proper style and finish for year, mounted in original location.

95 GTS - No rear spoiler. 99 anniversary edition, honey comb trunk filler panel.

94-95 Cobra & Cobra R functional side scoops.

00 Cobra R, 01 Bullitt, 03-04 Cobra & Mach1 unique side scoops.

94-01 Cobra & 00 Cobra R unique deck mounted wing type spoiler.

03-04 Cobra, deck lip spoiler.

03-04 Mach1 black deck mounted wing type spoiler.

01 Bullitt no spoiler.

00 Cobra R removable front splitter.

03-04 Cobra & Mach1 black front air dam beneath fascia. 5

j. Antenna: Black (94-02) or silver (03-04) with black round or oval base.

Cobra R to have antenna delete plate. 2

Quality of workmanship, condition and cleanliness of above 2 categories. 5

k. Windshield and Other Glass: Must be Carlite or Ford glass - script or block.

Convertible rear window, glass.

99 Anniversary and 94-99 Cobra - no pony on windshield.

Cobra R should not have rear defrost grid. 4

Quality of workmanship, condition and cleanliness. 4

Point Deductions for any other items not proper or original. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

3. TRUNK

Points

a. **Mat, Trunk Covering and Tire Cover Board:**
Mat and covering required for coupes and convertibles, except Cobra R.
Engine start decal must be in place. Proper
masonite board for year and model.
Escape handle, 99-04 5
Quality of workmanship, condition and cleanliness. 3

b. **Convertible Boot and Storage Bag:** Proper type for year and model. 2
Quality of workmanship, condition and cleanliness. 2

c. **Wiring:** Proper type for year and model. Routed in original position, from behind left hinge, along trunk lid to center of trunk lid. R models should not have wire for rear defrost & there will be no other wiring visible in a 93. 2
Quality of workmanship, condition and cleanliness. 2

d. **Painted Surfaces in Trunk:** Must match exterior color.
Quality of workmanship, condition and cleanliness. 2

e. **Jack Assembly and Lug Wrench:** Original style and finish, mounted under wheel cover. Quality of workmanship, condition and cleanliness. 2
Quality of workmanship, condition and cleanliness. 2

f. **Hinges and Lift Supports:** Proper type for year and model.
Quality of workmanship, condition and cleanliness. 2

g. **Trunk Weather-strip, Jacking Instructions and Trunk Latch:** Original style, mounted in original location. Jacking instruction under deck board.Quality of workmanship, condition and cleanliness. 3

Point Deductions for any other items not proper or original. 2

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

4. ENGINE COMPARTMENT

Points

a. Battery Carrier and Hold-down: With appropriate attaching parts. Proper for year and model. 3

Quality of workmanship, condition and cleanliness. 1

b. Battery: Motorcraft. Proper group size for year and model.

All other brands - mandatory 6 point deduction. 6

Quality of workmanship, condition and cleanliness 1

c. Starter Solenoid (and cover where applicable) or Starter Module:

94-95 – Motorcraft, correct, type, mounted in original location.

96-04 - Electronic starter module. 3

Quality of workmanship, condition and cleanliness. 1

d. Battery Cables and Starter Cable: Motorcraft. Routed in original position.

Positive Cable: Red.

Starter and Ground Cable: Black. 3

Quality of workmanship, condition and cleanliness. 2

e. Alternator and Starter: Motorcraft.

Alternator: Natural cast aluminum finish.

Alternator Fan:

94-95 - Cadmium or natural.

96-04 - No visible alternator fan.

Alternator Pulley:

94-95 - Cadmium or natural.

96-4 - Black.

Starter: Semi-gloss black or natural. 2

Quality of workmanship, condition and cleanliness. 2

f. .Air Intake and Attaching Parts: Proper type for model and year. Baffle/Silencer in place. Proper Mass Air Flow Sensor. 5

Quality of workmanship, condition and cleanliness. 2

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V05.11132011

g. Engine Components to be Painted:

Semi-Gloss Black Components:

Timing cover

(94-95 only), oil pan, oil dipstick tube.

03Mach1, 94-04 V6, 94-95 Cobra, and 96-04 V8 (except Cobra) valve covers.

Semi-Gloss Black or Natural Components:

Engine mount brackets. 6

Quality of workmanship, condition and cleanliness. 6

h. Engine Components to be Natural: Engine block, heads, thermostat housing, crankshaft pulley, bell housing, water pump and timing chain cover. Minor surface rust OK on natural parts.

Valve Covers:

94-95 V8 Natural,

96-04 Cobra & Cobra R, and 04 Mach 1 natural with Clear Coat.

96 Cobra, SVT engine builders sticker on valve cover.

97-04 Cobra, SVT engine builders plate on valve cover. 5

Quality of workmanship, condition and cleanliness. 5

i. Plenum and Intake Manifold: Proper type for year and engine.

94-01 Cobra & Cobra R, snake emblem on plenum cover.

03-04 Eaton supercharger painted grey.

03-04 Mach1 attached shaker hood scoop. 5

Quality of workmanship, condition and cleanliness. 2

j. Distributor and Cap:

Distributor: Motorcraft.

Cap: 94-95 has rigid boot over cap on 5.0L.

No distributor after 95. 3

Quality of workmanship, condition and cleanliness. 1

k. Coil: Motorcraft,

94-95 Mounted in correct location.

96-98 Coil pack.

99-04 V8, coil on plug system. 3

Quality of workmanship, condition and cleanliness. 1

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

l. Spark Plug Wires:

94-98, Motorcraft wires (94-95 black, 95 Cobra R red, 96-98 gray).. Properly routed with correct attaching brackets.

No plug wires, 99-04 V8, coil on plug system. 3

Quality of workmanship, condition and cleanliness. 2

m. Exhaust Manifolds and Heat Shields:

94-95 tube headers,

96-04 natural cast iron appearance (paint acceptable). 3

Quality of workmanship, condition and cleanliness. 2

n. Fuel Lines and Attaching Parts:

Rigid Lines: Original configuration and finish in original location with proper attaching parts.

Flex Lines: Black with original factory markings.

Clamps: Spring style. 2

Quality of workmanship, condition and cleanliness. 1

o. Fuel Injection: Original style injectors for year and engine in original location. Proper throttle and fuel rails. 8

Quality of workmanship, condition and cleanliness. 4

p. Oil Filter: Motorcraft or engine block color. 2

Quality of workmanship, condition and cleanliness. 1

q. Air Conditioning and Attaching Parts:

Semi-Gloss Black Components: Condenser and dryer.

Natural Components: A/C compressor and attaching parts. 95&00 Cobra R, A/C deleted. 3

Quality of workmanship, condition and cleanliness. 2

r. Power Steering:

Semi-Gloss Black Components: Pump pulley. Pump filler cap with yellow lettering.

Natural Components: Pump and mounting bracket (may be black). 95&00 Cobra R, P/S deleted. 2

Quality of workmanship, condition and cleanliness. 2

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V05.11132011

s. **Emission System**: Proper system for year and model, with components mounted in the original location. 8
Quality of workmanship, condition and cleanliness. 4

t. **Fender Bolts:** Original style painted body color. 2
Quality of workmanship, condition and cleanliness. 2

u. **Windshield Washer System, Mounting Brackets, Hoses and Pump:** Original type and finish mounted in original location. 2
Quality of workmanship, condition and cleanliness. 2

v. **Firewall and Inner Fender Panels:** Painted body color. 96-98 Cobra, 95 Cobra R strut tower brace painted black. 2
Quality of workmanship, condition and cleanliness. 3

w. **Underside of Hood, Pad and Clips:** Underside of hood - same color as exterior. Hood pad and clips as original. Cobra R does not have hood pad. 2
Quality of workmanship, condition and cleanliness. 2

x. **Hood Release, Latch and Support Rod:**
Release and Latch: Original style, black.
Support Rod: Painted body color or black. 2
Quality of workmanship, condition and cleanliness. 1

y. **Hood Hinges:** Original style. Body color. 2
Quality of workmanship, condition and cleanliness. 2

z. **Decals:**
94-95 - Emissions decal on underside of hood, large warning information decal on fan shroud.
94-95 “COBRA” decal on brake booster and driver side valve cover.
96-98 Drive belt, emission control information and A/C caution decals on underside of hood.
96-98 Coolant service decal on radiator cover and airbag warning decal on radiator support.
99-04 emission control information decal on underside of hood and A/C caution decal on radiator cover. 3
Quality of workmanship, condition and cleanliness. 1

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V05.11132011

aa. Voltage Regulator and Electronic Modules: Motorcraft electronic regulator. Proper for year and model. 3

Quality of workmanship, condition and cleanliness. 2

bb. Wiring: Proper gauge and color code, mounted in original location with proper attaching clips. Black plastic wrapping or covering as original. 3

Quality of workmanship, condition and cleanliness. 2

cc. Master Cylinder, Power Brake Unit and Rigid Brake Lines:

Master Cylinder: Aluminum with plastic reservoir.

Cap: Black plastic, except 95 Cobra R is yellow.

Power Brake Booster: Semi-gloss black finish.

Rigid Brake Lines: Natural steel finish. 3

Quality of workmanship, condition and cleanliness. 2

dd. Radiator, Fan Shroud, Hoses and Clamps:

Radiator: Ford type with correct attaching parts.

Fan Shroud: Correct with correct attaching parts.

Hoses: Ford hoses with correct stamping or plain.

Clamps: Squeeze type only, except Cobra R may have wire type screw clamps. Cobra R also has degas bottle. 6

Quality of workmanship, condition and cleanliness. 4

ee. Radiator Overflow Reservoir and Cap: Motorcraft. Proper lbs. cap. Cobra R's have two caps – one without pressure. 1

Quality of workmanship, condition and cleanliness. 1

ff. Heater Hoses and Clamps:

Hoses: Motorcraft.

Clamps: Worm and squeeze type. 3

Quality of workmanship, condition and cleanliness. 2

gg. Belts: Motorcraft. 94-95 Cobra serpentine belt should say "COBRA". 3

Quality of workmanship, condition and cleanliness. 1

hh. Security System: Ford type, proper for year and model. 2

Quality of workmanship, condition and cleanliness. 1

ii. Under Drive Pulleys: Not allowed. 2

Point Deductions for any other items not proper or original 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

5. UNDERCARRIAGE

Points

a. Undercarriage:

Undercoating: No undercoating allowed in Trailered Class.

Undercoated Cars: Everything must be covered except drive shaft, transmission, rear-ends housing, exhaust pipes, mufflers, springs and plates. Gas tank must be fully undercoated or have overspray around leading front edge and two sides. Must show some evidence of overspray.

Or

Non-Undercoated Cars: Floor pans and tunnel - body color or natural with clear coat. 20

Workmanship, condition and cleanliness of undercoating. (Workmanship of undercoating must be poor quality or excessive to deduct points).

Workmanship, condition and cleanliness of underside of floor pans. 15

b. Wheel Wells:

Rear Wheel Housing: Blacked out or gray with some body color overspray acceptable. Cobra R does not have sound deadening.

Front Wheel Housing: Black plastic liner. 5

Quality of workmanship, condition and cleanliness. 8

c. Rigid Fuel and Brake Lines: Natural steel finish. Routed in original location. 2

Quality of workmanship, condition and cleanliness. 1

d. Flexible Fuel and Brake Lines: Black rubber. Original Ford factory markings.

Mounted in proper location. 1

Quality of workmanship, condition and cleanliness. 1

e. Gas Tank: Must be original type and finish. Black plastic shield must be in place. 95

Cobra R has a 21 gallon safe fuel cell. 2

Quality of workmanship, condition and cleanliness. 3

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

f. Suspension and Steering:

Front Natural Parts: Steering box, tie rod ends, sway bar end links and mounting brackets, spindles.

Front Semi-Gloss Black Parts: Coil springs, steering rack and sway bar.

Rear Natural Parts: Sway bar attaching parts.

Rear Semi-Gloss Black Parts: Rear sway bar, coil springs.

99-04 Cobra Convertibles, 01 Bullitt, & 03-04 Mach1, subframe connectors painted black.

99-04 Cobra, & 00 Cobra R independent rear suspension natural finish.

94-04 Cobra, 95&00 Cobra R, 01 Bullitt, 03-04 Mach1 unique model specific anti-roll bars. 10

Quality of workmanship, condition and cleanliness. 8

g. Front Brakes - Disc: Calipers and dust shields, natural finish.

96-98 Cobra calipers have “COBRA” lettering and natural finish.

99-04 Cobra, 03-04 Mach1, calipers natural finish.

00 Cobra R, calipers carbon fiber heat shields with cooling ducts from front fascia.

01 Bullitt, calipers painted red with running pony logo.

03 10th Anniversary Cobra calipers painted red with white “COBRA” lettering.

Rear Brakes - Disc: Calipers and dust shields, natural finish. 01 Bullitt and 03 10th Anniversary Cobra, painted red. 6

Quality of workmanship, condition and cleanliness. 6

h. Transmission and Linkage: Exterior surface natural finish (cast aluminum or cast iron).

Linkage: Natural finish. 4

Quality of workmanship, condition and cleanliness. 3

i. Transmission Cross Brace Support: Semi-gloss black or natural finish. 2

Quality of workmanship, condition and cleanliness. 1

j. Driveshaft and U-Joints: Mounted properly. Original type. Natural steel and cast finish, some minor rust ok. 3

Quality of workmanship, condition and cleanliness. 1

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

k. Pinion Housing and Trailing Arms: Natural. 4

Quality of workmanship, condition and cleanliness. 2

l. Rear-End Housing: Semi-gloss black finish. 2

Quality of workmanship, condition and cleanliness. 2

m. Shock Absorbers:

95 Cobra R

adjustable Koni dampeners yellow with Ford part numbers.

03-04 Cobra struts are yellow with black outer sleeves and shocks are yellow with blue outer sleeves.

00 Cobra R Bilstein dampeners.

01 Bullitt, 03-04 Mach1 front Tokico dampeners rear Motorcraft.

All other shocks black Motorcraft. Non-Ford - mandatory 4-point deduction. 4

Quality of workmanship, condition and cleanliness. 2

n. Wheels: Proper size and correct style for year and make. 94-96 V6, std 15” with wheel covers, optional 15” cast aluminum.

97-98 V6, std 15” wheel, optional 15” cast aluminum or 15” bright machined.

94-98 V8, std 16” aluminum, optional 17” aluminum.

99-00 V6, std 15” aluminum. 99-00 V8, std 16” 5 spoke argent or 17” 5 spoke aluminum.

94-95 Cobra 17” aluminum 5 spoke natural recesses.

96-97 Cobra and 94 Cobra Pace Car 17” aluminum 5 spoke charcoal recesses.

98 Cobra 17” aluminum 5 spoke with clear recessess

99-04 Cobra 17” aluminum 5 spoke star.

03 Cobra 10th Annv. 17” aluminum dark argent.

04 Cobra optional 17” chrome 5 spoke star.

95&00 Cobra R 17” aluminum 5 spoke star.

01 Bullitt 17” 5 spoke American Racing torque thrust.

03-04 Mach1 17” 5 spoke magnum 500. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law.

o. Center Caps and Lug nuts: If visible. Correct style for year with proper center caps.

94-00 center cap inserts with running horse logo. Must have correct lug nuts and "O" locking lugs (if equipped).

03-04 Cobra, SVT center caps.

95&00 Cobra R "Cobra R" center caps.

3-04 Mach1 pony tribar center caps. 5

p. Tires: Proper make and size for year and model. See tire pressure decal.

94-00 V6 - P245/65TR BSW Goodyear or Continental All Season.

94-00 GT – P225/55ZR16 Goodyear or Continental All Season (standard).

94-02 Cobra, BF Goodrich 245/45ZR-17.

95 Cobra R, BF Goodrich 255/45ZR-17.

3-04 Cobra, Goodyear 275/40ZR17. 5

Quality of workmanship, condition and cleanliness of above 3 categories. 5

q. Exhaust System: Proper material and finish. Correctly mounted with proper attaching hardware. Catalytic converters must be present. Minor surface rust and discoloration on H-pipe ok. No painted pipes.

99-04 GT, 3" exhaust tips.

00 Cobra R, has Borla side exit exhaust.

Muffler: Must be Ford or Ford replacement in original style and location.

Clamps and Hangers: No clamps, mandatory 2 point deduction for clamps. Proper hangers, natural steel and rubber finishes. 8

Quality of workmanship, condition and cleanliness. 8

r. Grommets, Attaching Nuts, Bolts and Washers: Original style and finish. 4

Quality of workmanship, condition and cleanliness. 2

Point Deductions for any other items not proper or original. 5

All Content of this document is the property of the Mustang Club of America, Inc. It is intended for the private use of MCA members and may not be used or sold in any format by others. Attempts to sell, alter, or damage this document without written permission of the MCA will be identified and prosecuted to the full extent of the law. V05.11132011